Paper Title

A.B. Author1[1], C. Author2[2] and D.E. Author3[3]

(in red the small differences with respect to New Boundaries of Structural Concrete 2016, held in Capri)

ABSTRACT: Papers and invited lectures must be written in English according to the following instructions in order to facilitate the inclusion of the papers in the proceedings. Authors are requested to send their paper in both PDF and DOC format. The paper should start with an abstract no longer than 10 lines (font Times New Roman, size 10 pt., single-spaced), without figures, tables or references. The abstract should concisely introduce the subject, the objective, the numerical/theoretical/experimental methods used, the main findings, and the applications.

1 GENERAL INSTRUCTIONS

1.1 Paper Length and Format

Each paper shall not exceed 10 pages, while the maximum page number for invited lectures is 16 (including figures, tables and photos).
Papers in any case shall have an even number of pages.
Please follow exactly the layout of this document.
Margin settings are: top 2.5 cm, bottom 3.5 cm, left 3.0 cm, right 3.0 cm, all others 0.00 cm.

1.2 Point Size and Font

The text must be in 12-point Times New Roman font, except the paper title (16-point, similar in style to the title above) and table contents (11-point).
Main headings (in 12-point) must be **BOLD UPPERCASE** and sub-headings (in 12-point) must be **Bold Lowercase.** The text must be justified (as in the text layout of this document). In tables 11-point font should be used and inside the figures the characters may be even smaller provided that they are legible.

2 TEXT

2.1 Layout

The text must be single-spaced with one blank line above and below main headings. Single column format must be used. A 0.5 cm indentation should be used when starting a new paragraph, but not in the first paragraph past the heading of the chapter/sub-chapter and not in any paragraph starting a new page.

Table 1. Water absorption (%) at 24h of both natural and recycled aggregates.

Type	Sand (0-2 mm)	N1 (2-10 mm)	N2 (10-20 mm)	N3 (20-31.5 mm)
Natural	*1.20*	*0.70*	*0.50*	*0.30*
Recycled	*12.20*	*6.00*	*3.00*	*1.80*

[1] *Title, affiliation, e-mail address*
[2] *Title, affiliation, e-mail address*
[3] *Title, affiliation, e-mail address*

Do not underline text in any case. Do not use blank spaces between letters and do not use more than one blank space between words. Text, figures, and tables must fit within the margins. Place no information in the header or footer. Do not shorten titles and headings in tables and figures. Figures and tables must be embedded in the text, separately numbered and centered in the page, and should follow - as close as possible - the text where they are cited. Do not arrange text lines beside the figures, unless absolutely necessary.

2.2 Captions, legends and inserts

The captions of the figures and the titles of the tables should be placed directly below the figures and above the tables, respectively. Any explicative legend referring to a figure should be placed inside the figure, as an insert.

(a) *(b)*

Figure 1. (a) sieve operations; and (b) sieved aggregates.

Captions of figures and titles of tables must be centered (see examples).

2.3 Mathematics

All mathematics must be embedded in the text. Equations must be numbered and centered.

2.4 System of Units

MKS SI units must be used throughout the text, figures, and tables. If the customary Anglo-Saxon system is used, the values according to the MKS SI system should be provided between square brackets.

2.5 References

All references cited in the text must appear at the end of the paper in the alphabetical order (use 11-point Times New Roman font). The name-and-date (Harvard) system should be used (the references should not be numbered). Inside the text, the references should be cited via the first name(s) of the author(s) and the year of publication, as follows: one author (xxxx, 0000), two authors (xxxx and yyyy, 0000); three or more authors (xxxx *et al.*, 0000).

REFERENCES (alphabetical order; 4-point spacing between contiguous references)

Black P. and White P.G. (2009). Analysis at the Ultimate Limit State of a R/C Slab Supporting Desiccated-Sludge Silos. *European J. of Environmental and Civil Engineering*, V.13, No.6, 685-706.

Burka L.P. (1993). A hypertext history of multi-user dimensions. *MUD history*, <http://www.ccs.neu.edu/home/1pb/mud-history.htm1> (Dec. 5, 1994).

Fisher J.W. and Stroik J.H.A. (1974). *Guide to design criteria for bolted and riveted joints*, Wiley, New York.

International Conference of Building Officials - ICBO (1997). *Uniform building code*, Whittier, California.

Kurtz M. (1991). Section 7: Transformation of space in computer graphics, *Handbook of applied mathematics for engineers and scientists*, McGraw-Hill, New York, 7.1-7.42.

Szilard R. (1974). *Theory and Analysis of Plates: Classical and Numerical Methods*. Prentice Hall, N.J.

Morazzini S. (2018). *RC Slabs with Mixed Constraints: Ultimate Limit State and Fire (in Italian).* MS Dissertation defended on July 25, 2018, at the Politecnico di Milano, 162 p.